



Guidelines for CARROT

Soil Application: Apply *Soil Solution* @ 24 Oz/ acre. This application may be made in the Fall and incorporated, or surface applied during the growing season. For soil surface applications increase rate to 32 Oz/acre.

Seed Treatment: Hopper Box Powder: Apply *Seed Coat* @ 2 Oz (dry weight) per planted acre of seed.

In-Furrow: Option A: 8 Oz/acre of *PercPlus*.

Option B: If shallow seeding and watered up: Apply *PercPlus* @ 24 Oz/acre broadcast after planting and before watering for germination.

Seedling Foliar: Make an initial application of *PercPlus* @ 24 Oz and *Zinc Plus* @ 16 Oz/acre, beginning at two to three leaf seedlings. *Zinc Plus* may be replaced with *MicroVite* @ 32 Oz/acre.

Weekly Foliar: Apply *PercPlus* @ 16 Oz/acre, *Zinc Plus* @ 8 Oz/acre (or *MicroVite* @ 16 Oz/acre), and *Boron Plus* @ 4 Oz/acre on 7 to 10 day intervals, until initiation of bulking.

Initial Bulking: *CropKarb* @ 32 Oz/acre with *Calcium Plus* @ 16 Oz/acre in two to three applications. (May apply with insecticide)

NOTE: These guidelines may be altered based on type carrots planted.

NOTE: *CropKarb* may be replaced with a tank-mix of *Potassium Plus* @ 32 Oz, *PercPlus* @ 8 to 16 Oz, and *Boron Plus* @ 4 Oz. *Plant Power* may be substituted for *PercPlus* and vice-versa in any application and at the same rate.

Mixing: Always dilute *Potassium Plus* in water first, and follow with other ingredients in listed order to avoid excessive foaming.

These **DeltAg Guidelines** have been utilized to improve overall crop health and are not intended to be utilized as a replacement for basic and customary fertilizer applications. **“Other Crop Specific Guidelines are available upon request.”**