



Guidelines for FRUIT TREES (Basic)

Mature Orchard

Pre-Bloom: Drip or Foliar Application: *PercPlus* @ 32 Oz/ acre. *Boron Plus* may be added @ 4 Oz / acre to control excessive Nitrates and improve fruiting.

Post Bloom: Drip or Foliar Application: Apply *PercPlus* @ 12 Oz/acre and *Boron Plus* at 4 Oz/acre weekly for two to three applications.

Peak Fruiting, Initial Sizing or Bulking: Drip or Foliar Apply: *CropKarb* @ 32 Oz/acre Weekly. Make these applications on weekly intervals for Two to Four applications as needed.

NOTE: To reduce bruising, scorching and scuffing and to improve more uniform maturity, add *Calcium Plus* @ 16 Oz/acre to this application in the three to four weeks before maturity.

NOTE: The addition of *Zinc Plus* and *Manganese Plus* at 16 Oz/acre have been found very beneficial where chronic deficiencies have been observed.

NOTE: *MicroVite* @ 32 Oz/acre is equivalent to the *Zinc Plus/Manganese Plus* combination.

NOTE: *CropKarb* may be replaced with a tank-mix of *Potassium Plus* @ 32 Oz, *PercPlus* @ 8 to 16 Oz, and *Boron Plus* @ 4 Oz. *Plant Power* may be substituted for *PercPlus* and vice-versa in any application and at the same rate.

Mixing: Always dilute *Potassium Plus* in water first and follow with other ingredients in listed order to avoid excessive foaming.

These **DeltAg Guidelines** have been utilized to improve overall crop health and are not intended to be utilized as a replacement for basic and customary fertilizer applications. **“Other Crop Specific Guidelines are available upon request.”**