



# Product VERSATILITY

## SPECIALTY PRODUCTS

**Seed Coat: Dry Hopper Box Seed Treatment:** Designed to be sprinkled over seed and stirred in for ample seed coverage either in advance of planting or at the time of planting. **Works on ANY SEED!**

**PercPlus (same as Plant Power):** In-Furrow: 8 Oz/acre in with fungicide or liquid fertilizer. (10-34-0 @ 2-3 gals/acre on corn)

**Seedling Foliar:** 16 - 32 Oz/acre per application (2 to 3 applications).

**Late Season Fungicide Applications:** 12-16 Oz/acre, often tank mixed with 32 Oz/acre **Potassium Plus** and 4 Oz/acre **Boron Plus**.

**Buffer/Activator:** Growers like **PercPlus** at 4 Oz/acre in with insecticides.

**Plexal: Foliar Application:** 32 Oz/acre, tank mixed with dicamba herbicide.

**CropKarb: Fruiting-Sizing Combo Foliar Application:** At 32 Oz/acre, Proven Fruiting-Bulking Foliar - 3 Product Combo. Contains **PercPlus**, **Boron Plus**, and **Potassium Plus**. Often applied with foliar fungicides.

## MACRO & SECONDARY NUTRIENTS

**Potassium Plus: Soil Application:** 32 - 64 Oz applied in soil with other liquid fertilizers when supplemental potassium is desired or if a deficiency is anticipated.

**Foliar Application:** 32 Oz/acre when supplemental potassium is desired or when deficiencies are observed or verified (2X on 7 to 10 day interval). Often applied with foliar fungicides during heavy fruiting.

### Calcium Plus:

**In-Furrow:** 16 Oz/acre.

**Seedling Foliar:** 32 Oz/acre broadcast when calcium deficiencies are observed or anticipated.

**Side-dress:** 32 - 64 Oz/acre in with liquid side-dress fertilizer.

### Magnesium Plus:

**In-Furrow:** 16 Oz/acre.

**Seedling Foliar:** 32 Oz/acre broadcast when magnesium deficiencies are observed or anticipated.

**Side-dress:** 32 Oz/acre in with liquid side-dress fertilizer.

**Sulfur Plus:** Side-dress: 32 - 64 Oz/acre applied with liquid nitrogen. See additional information in **DeltAg** article, "Sulfur in Our Soils and **Sulfur Plus**". (Pg 80)

**Foliar Application:** 32 Oz/acre on seedling crops where sulfur deficiencies are observed or anticipated.

**NOTE: Sulfur Plus** is used over wheat with liquid nitrogen to improve response to nitrogen and tends to aid in reducing foliar burn.

## MICRO-NUTRIENTS

**MicroVite:** Micronutrient Combo designed to reduce tank-mix needs for micronutrients. 32 Oz/acre is equivalent to standard rate of **Zinc Plus @ 16 Oz**, **Copper Plus @ 8 Oz**, **Manganese Plus @ 8 Oz**, **Magnesium Plus @ 16 Oz** & **Sulfur Plus @ 22 Oz**.

**In-Furrow:** 32 Oz/acre.

**Seedling Foliar:** 32 Oz/acre is used for cold weather tolerance in seedling crops. Ex: corn, cotton, vegetables.

**Side-dress:** 32 Oz/acre.

**Boron Plus: Side-Dress:** 16 - 24 Oz/acre in with liquid fertilizers.

**Foliar Application:** 4 - 6 Oz/acre as a boron source for most row crops. Ex: soybeans. Normally applied 3 to 4 times during a season.

\*\* May be applied in late seedling stages and also 2 to 3 times from the 4th - 7th week of bloom (R3-R4).

**CropKarb @ 32 Oz/acre** contains ample **Boron Plus** and can replace the **Boron Plus** applications during fruiting.

**Foliar Fungicide Application:** 4 Oz/acre with fungicide or when **Potassium Plus** is applied on rice and wheat.

### Copper Plus:

**Foliar:** 16 - 32 Oz/acre.

**Injection:** See **DeltAg** Rate Chart (Page 23)

### Iron Plus:

**Foliar:** 16 - 32 Oz/acre.

**Injection:** See **DeltAg** Rate Chart (Page 23)

### Manganese Plus:

**Foliar:** 16 - 32 Oz/acre broadcast when manganese deficiencies are observed or anticipated.

**Zinc Plus: Seed Treatment:** 10 Oz per 100 pounds seed. 6 Oz when **PercPlus** is applied on seed.

**Side-Dress:** 32 Oz/acre in with liquid side-dress fertilizer.

**Foliar Application:** 32 Oz/acre broadcast when zinc deficiencies are observed or anticipated.

**Impregnation:** 32 Oz/acre rate of dry fertilizer.